


Compared with benchmark: ● Better ● Similar ● Worse ○ Not compared

Quintiles: Best ● ● ● ● Worst ○ Not applicable

Recent trends: — Could not be calculated ➡ No significant change ↑ Increasing / Getting worse ↑ Increasing / Getting better ↓ Decreasing / Getting worse ↓ Decreasing / Getting better ↑ Increasing ↓ Decreasing

 Export table as image

 Export table as CSV file



Indicator	Period	Lincoln			Region England			England		
		Recent Trend	Count	Value	Value	Value	Worst/ Lowest	Range	Best/ Highest	
Life expectancy at birth (Male)	2017 - 19	—	-	76.9	79.5	79.8	74.4		84.9	
Life expectancy at birth (Female)	2017 - 19	—	-	80.6	82.9	83.4	79.5		87.2	
Under 75 mortality rate from all causes	2016 - 18	—	979	447	334	330	544		220	
New data										
Under 75 mortality rate from all cardiovascular diseases	2017 - 19	—	198	90.6	72.1	70.4	121.6		39.8	
Under 75 mortality rate from cancer	2017 - 19	—	372	172.4	131.3	129.2	182.4		87.4	
Suicide rate	2017 - 19	—	39	16.2	9.5	10.1	19.0		4.9	
Killed and seriously injured (KSI) casualties on England's roads	2016 - 18	—	124	42.0	41.6	42.6*	109.8		17.7	
Emergency Hospital Admissions for Intentional Self-Harm	2018/19	↓	195	187.1	200.8	193.4	497.7		51.6	
Hip fractures in people aged 65 and over	2018/19	→	120	758	614	558	852		350	
Cancer diagnosed at early stage (experimental statistics)	2017	—	157	44.2%	49.1%	52.2%	36.8%		61.0%	
Estimated diabetes diagnosis rate	2018	—	-	80.2%	84.6%	78.0%	54.3%		98.7%	
Estimated dementia diagnosis rate (aged 65 and over)										
> 66.7% (significantly)	2020	—	933	84.3%	71.1%	67.4%	41.6%		92.7%	
similar to 66.7%										
< 66.7% (significantly)										
Admission episodes for alcohol-specific conditions - Under 18s	2016/17 - 18/19	—	10	18.3	26.3*	31.6	112.7		7.8	
Admission episodes for alcohol-related conditions (Narrow)	2018/19	→	607	713	700	664	1,127		389	
Smoking Prevalence in adults (18+) - current smokers (APS)	2019	—	20,076	24.8%	14.8%	13.9%	27.5%		3.4%	
Percentage of physically active adults	2018/19	—	-	67.5%	66.4%	67.2%	46.7%		80.0%	
Percentage of adults (aged 18+) classified as overweight or obese	2018/19	—	-	65.8%	64.2%	62.3%	75.9%		41.7%	
Under 18s conception rate / 1,000	2018	→	35	28.8	16.8	16.7	39.4		3.6	
Smoking status at time of delivery	2019/20	→	150	15.6%	13.4%*	10.4%	23.1%		2.1%	
New data										
Infant mortality rate	2017 - 19	—	16	4.9	4.1	3.9	7.5		1.2	
Year 6: Prevalence of obesity (including severe obesity)	2018/19	→	219	22.8%	19.7%	20.2%	29.6%		9.5%	
New data										
Deprivation score (IMD 2015)	2015	—	-	28.9	-	21.8	42.0		5.0	
Smoking Prevalence in adults in routine and manual occupations (18-64) - current smokers (APS)	2019	—	-	32.7%	25.5%	23.2%	60.3%		3.5%	
Inequality in life expectancy at birth (Male)	2016 - 18	—	-	10.4	8.9	9.5	15.2		-1.3	
Inequality in life expectancy at birth (Female)	2016 - 18	—	-	7.2	7.1	7.5	13.8		-1.5	
Children in low income families (under 16s)	2016	↓	3,640	21.2%	16.6%	17.0%	31.8%		5.8%	
Average Attainment 8 score	2018/19	—	34,883	40.1	45.8	46.9	39.0		60.2	
Percentage of people aged 16-64 in employment	2019/20	→	44,600	68.7%	76.8%	76.2%	63.3%		91.4%	
Statutory homelessness - Eligible homeless people not in priority need	2017/18	→	17	0.4	0.4	0.8	-	Insufficient number of values for a spine chart		
Violent crime - hospital admissions for violence (including sexual violence)	2016/17 - 18/19	—	120	38.5	37.2*	44.9	127.6		6.0	
Excess winter deaths index	Aug 2018 -Jul 2019	—	72	26.8%	16.4%	15.1%	36.4%		-8.2%	
New STI diagnoses (exc chlamydia aged <25) / 100,000	2019	→	539	787	622	900	4,418		294	
TB incidence (three year average)	2017 - 19	—	12	4.0	7.3	8.6	45.0		0.2	

* a note is attached to the value, hover over to see more details

Compared with benchmark:

Better Similar Worse Not compared

Quintiles:

Best Worst Not applicable

Recent trends: — Could not be calculated

➔ No significant change

⬆ Increasing / Getting worse

⬆ Increasing / Getting better

⬇ Decreasing / Getting worse

⬇ Decreasing / Getting better

⬆ Increasing

⬇ Decreasing

Display

Values

Trends

Values & Trends

Indicator	Period		England	East Midlands region	Amber Valley	Ashfield	Bass eflaw	Blaby	Bols over	Boston	Broxtowe	Charnwood	Chesterfield	Corby	Daventry	Derby	Derbyshire Dales	East Lindsey	East Northamptonshire	Erewash	Gedling	Harborough	High Peak	Hinckley and Bosworth	Kettering	Leicester	Lincoln	Mansfield	Melton	Newark and Sherwood	North East Derbyshire	North Kesteven	North West Leicestershire	Northampton	Nottingham	Oadby and Wigston	Rushcliffe	Rutland	South Derbyshire	South Holland	South Kesteven	South Northamptonshu	Wellingborough	West Lind
Life expectancy and causes of death																																												
Life expectancy at birth (Male)	2017 - 19	◀▶	79.8	79.5	80.1	78.4	78.9	81.7	77.9	78.1	80.3	80.8	78.2	77.5	80.8	78.6	81.4	78.1	80.6	79.5	80.5	81.7	80.0	80.6	79.6	77.5	76.9	78.0	81.0	79.9	79.7	80.5	80.0	78.6	77.2	79.8	81.5	83.0	79.9	79.8	80.9	81.7	79.3	80.0
Life expectancy at birth (Female)	2017 - 19	◀▶	83.4	82.9	83.2	81.7	82.4	85.2	81.9	82.3	83.0	83.8	81.8	80.8	83.7	82.1	85.3	82.1	83.4	83.4	83.1	85.0	83.1	83.9	82.5	82.2	80.6	81.5	84.2	82.8	82.7	83.4	83.7	82.5	81.2	84.8	84.5	85.4	83.1	83.3	84.1	84.3	82.5	83.3
Under 75 mortality rate from all causes New data	2016 - 18	◀▶	330	334	310	393	356	265	356	393	304	290	383	425	293	377	260	387	298	332	285	252	312	288	318	413	447	394	284	318	304	285	311	385	457	305	259	223	310	333	279	255	354	311
Under 75 mortality rate from all cardiovascular diseases	2017 - 19	◀▶	70.4	72.1	66.2	87.7	76.8	43.8	81.0	94.6	69.2	63.9	82.9	87.4	56.0	88.7	52.7	90.9	56.9	70.0	63.1	50.7	52.7	71.6	71.1	101.6	90.6	77.1	60.9	58.1	63.5	63.0	65.7	82.2	99.8	62.8	51.9	43.6	62.1	78.8	56.9	47.9	76.1	66.3
Under 75 mortality rate from cancer	2017 - 19	◀▶	129.2	131.3	116.3	146.2	138.8	118.0	149.9	141.8	132.9	123.0	142.9	155.7	126.7	147.0	113.1	141.5	124.4	125.4	121.1	105.5	122.3	121.5	135.3	141.7	172.4	151.7	97.4	126.9	130.3	125.0	122.0	142.6	157.4	123.2	111.2	110.1	122.3	128.5	111.3	115.9	141.1	125.8
Suicide rate	2017 - 19	◀▶	10.1	9.5	9.4	8.0	16.9	10.5	8.3	6.9	7.2	5.9	10.2	11.7	6.2	8.0	9.1	13.3	11.1	8.6	7.1	10.6	10.3	7.2	10.1	8.1	16.2	7.0	*	10.3	10.0	8.8	7.4	11.6	12.7	8.8	8.0	*	8.4	12.7	9.7	9.6	11.0	11.8
Injuries and ill health																																												
Killed and seriously injured (KSI) casualties on England's roads	2016 - 18	◀▶	42.6*	41.6	37.3	32.5	58.2	29.0	35.4	74.5	32.2	27.9	32.2	33.6	71.0	28.1	70.5	83.7	41.9	27.5	31.3	35.7	45.3	28.4	37.2	27.7	42.0	28.9	52.4	54.8	38.4	63.9	46.9	24.2	37.1	18.1	41.1	54.0	42.0	59.7	55.1	58.6	38.0	94.7
Emergency Hospital Admissions for Intentional Self-Harm	2018/19	◀▶	193.4	200.8	214.6	221.0	210.9	94.8	279.7	120.2	174.2	114.1	497.7	305.7	268.2	274.4	217.2	189.3	233.4	215.9	150.4	142.5	193.6	119.9	340.3	121.2	187.1	294.4	98.6	198.4	253.0	110.9	133.6	439.7	213.1	95.4	124.8	142.5	196.9	95.3	174.8	186.0	289.9	120.6
Hip fractures in people aged 65 and over	2018/19	◀▶	558	614	525	589	628	585	713	710	661	790	606	766	590	541	546	593	537	580	600	705	581	688	754	757	758	681	852	681	568	486	746	577	594	675	527	556	555	495	580	406	541	534
Cancer diagnosed at early stage (experimental statistics)	2017	◀▶	52.2	49.1	49.3	36.8	48.0	51.5	44.9	45.4	57.9	47.5	47.7	55.0	51.0	45.9	49.5	47.4	50.2	50.2	48.7	56.9	54.6	54.5	54.2	49.1	44.2	37.9	55.5	45.2	48.1	43.7	48.6	48.7	54.4	43.8	50.6	54.3	47.9	49.4	51.0	58.6	46.0	44.9
Estimated diabetes diagnosis rate	2018	◀▶	78.0	84.6	78.9	85.3	82.6	78.5	97.2	87.2	84.2	84.5	88.6	79.4	72.6	80.6	69.2	85.2	83.0	81.4	78.4	67.5	73.5	79.1	80.2	83.0	80.2	82.2	74.3	78.6	87.1	85.5	78.1	82.6	75.2	90.9	72.8	73.8	88.2	88.3	81.3	73.1	85.3	81.6
Estimated dementia diagnosis rate (aged 65 and over)	2020	◀▶	67.4	71.1	68.4	82.4	80.5	71.2	79.1	65.8	82.1	73.4	71.2	92.7	61.8	75.6	53.7	65.1	68.6	80.4	64.8	59.3	68.4	70.4	76.8	86.5	84.3	76.6	68.6	59.0	67.8	61.6	64.1	74.0	81.6	72.4	74.1	55.3	70.8	63.1	62.4	49.4	64.3	65.1
> 66.7% (significantly)																																												
similar to 66.7%																																												
< 66.7% (significantly)																																												
Behavioural risk factors																																												
Admission episodes for alcohol-specific conditions - Under 18s	2016/17 -18/19	◀▶	31.6	26.3*	20.9	*	21.7	*	53.1	*	*	19.4	58.7	39.3	19.5	16.8	26.6	27.8	25.0	*	*	26.2	37.7	30.1	36.5	13.9	18.3	37.2*	*	*	54.2	22.1	16.2	31.4	*	*	*	*	22.9	18.5	22.8	25.6	27.5	18.2
Admission episodes for alcohol-related conditions (Narrow)	2018/19	◀▶	664	700	715	775	721	592	747	621	719	571	1015	864	654	878	670	681	672	799	684	561	605	603	839	700	713	875	569	618	788	586	616	831	884	649	541	519	667	580	568	531	783	536
Smoking Prevalence in adults (18+) -current smokers (APS)	2019	◀▶	13.9	14.8	12.5	19.8	15.7	10.9	10.6	18.4	10.5	12.0	13.7	27.5	14.0	16.7	9.5	14.9	17.2	16.6	14.2	8.6	12.3	10.4	9.1	15.4	24.8	18.8	20.9	15.4	8.6	9.3	14.1	18.8	20.9	10.0	5.9	10.2	15.8	19.5	9.6	6.7	21.0	15.5
Percentage of physically active adults	2018/19	◀▶	67.2	66.4	70.4	65.4	67.1	69.4	65.5	58.3	71.3	68.0	68.7	61.0	68.7	69.3	78.5	64.3	75.6	61.6	62.9	69.9	73.9	65.5	65.4	58.7	67.5	62.4	71.3	67.1	72.6	73.6	71.6	59.3	65.6	61.3	68.8	72.8	67.8	60.8	64.6	68.0	68.6	60.6
Percentage of adults (aged 18+) classified as overweight or obese	2018/19	◀▶	62.3	64.2	65.8	68.8	70.6	64.9	72.2	70.8	62.1	65.5	66.9	70.1	61.6	63.8	56.4	64.6	66.7	68.5	67.7	61.5	62.9	62.3	61.0	56.5	65.8	69.0	61.9	70.4	63.1	68.2	69.7	61.2	58.4	63.6	58.9	60.5	69.3	67.4	65.9	62.0	67.9	68.5

Child health																																																	
Under 18s conception rate / 1,000	2018	◀▶	16.7	16.8	16.1	20.1	14.9	10.2	20.9	20.0	18.9	14.4	19.8	25.4	11.4	19.5	10.4	29.0	13.1	18.9	13.4	10.5	10.1	10.8	21.6	20.8	28.8	23.5	10.8	16.3	12.3	11.4	14.3	20.0	24.9	12.5	7.5	3.6	16.8	12.1	10.8	13.9	16.7	9.3					
Smoking status at time of delivery New data	2019/20	◀▶	10.4	13.4*	13.5	17.1	11.8	8.6	13.5	19.9	11.7	10.4	13.5	19.3	13.1	13.5	13.5	19.9	12.9	13.5	12.6	8.5	13.5	10.7	13.1	10.4	15.6	19.2	8.4	13.7	13.5	14.8	10.7	13.1	16.5	8.4	5.9	8.4	13.5	14.2*	13.5*	13.1	13.1	16.4					
Infant mortality rate	2017 - 19	◀▶	3.9	4.1	5.4	4.1	4.4	2.1	2.4	2.2	2.5	5.1	2.6	3.2	3.9	5.4	2.1	3.8	3.6	5.7	3.2	4.1	3.5	3.0	6.2	6.0	4.9	4.1	3.6	3.8	1.5	1.9	3.3	4.0	5.6	3.6	4.1	2.1	6.4	1.8	2.3	3.0	4.3	2.0					
Year 6: Prevalence of obesity (including severe obesity) New data	2018/19	◀▶	20.2	19.7	19.8	23.1	21.0	13.6	23.4	27.1	17.2	19.1	21.1	23.3	17.1	23.0	12.8	19.9	17.2	19.9	18.0	14.9	15.4	14.9	17.5	23.0	22.8	22.9	18.9	17.7	19.3	18.7	17.2	19.2	23.2	17.6	11.3	13.7	17.3	23.3	18.6	14.4	20.3	18.8					
Inequalities																																																	
Deprivation score (IMD 2015)	2015	◀▶	21.8	-	18.1	25.4	22.7	10.4	24.8	24.4	14.3	13.7	25.3	25.8	13.5	27.8	12.3	28.9	14.2	19.9	15.3	8.3	16.1	12.8	18.9	33.1	28.9	27.8	13.1	18.8	16.8	11.6	14.9	24.3	36.9	13.1	7.7	9.6	13.7	18.6	14.2	7.8	21.7	19.2					
Smoking Prevalence in adults in routine and manual occupations (18-64) - current smokers (APS)	2019	◀▶	23.2	25.5	19.0	24.8	17.8	22.9	*	*	16.5	19.7	12.6	32.9	17.5	35.4	22.3	35.3	25.3	33.1	31.6	17.4	16.7	34.6	*	22.7	32.7	30.5	35.8	34.8	19.2	21.8	22.2	29.6	29.4	*	26.3	26.1	26.9	29.9	19.9	13.4	25.7	25.2					
Inequality in life expectancy at birth (Male)	2016 - 18	◀▶	9.5	8.9	9.5	13.2	8.7	1.6	5.4	*	6.6	7.7	8.8	*	3.6	10.2	2.1	10.3	6.3	9.8	7.6	3.8	7.8	5.5	7.1	8.0	10.4	9.0	7.9	7.7	7.1	6.2	6.7	9.6	8.4	10.7	6.6	*	7.0	1.7	5.8	2.2	8.0	7.7					
Inequality in life expectancy at birth (Female)	2016 - 18	◀▶	7.5	7.1	9.7	10.6	6.9	-0.9	3.9	*	5.5	8.5	7.4	6.6	2.8	9.3	2.0	7.2	5.0	4.3	7.5	-1.5	8.5	4.6	7.1	6.1	7.2	6.8	6.7	9.1	7.4	2.8	6.4	7.2	8.6	10.7	4.3	*	7.6	4.8	4.2	2.0	2.9	6.0					
Wider determinants of health																																																	
Children in low income families (under 16s)	2016	◀▶	17.0	16.6	15.1	21.1	16.2	9.3	19.8	14.6	13.5	12.5	19.6	17.3	9.9	21.0	9.4	22.1	11.2	17.2	14.2	7.2	11.9	11.0	14.2	23.0	21.2	20.4	10.5	15.0	15.3	10.3	12.8	15.7	29.5	11.7	6.9	6.5	11.9	13.9	12.8	6.1	16.4	19.4					
Average Attainment 8 score	2018/19	◀▶	46.9	45.8	47.3	42.7	47.7	45.8	45.4	41.8	48.7	45.4	44.5	42.1	47.0	43.2	50.9	44.6	44.4	44.3	49.4	51.4	46.8	48.0	47.8	42.9	40.1	43.0	50.0	47.9	45.6	47.3	43.9	45.0	42.4	46.1	57.2	51.5	46.3	45.4	49.9	49.3	45.1	47.7					
Percentage of people aged 16-64 in employment	2019/20	◀▶	76.2	76.8	79.9	79.4	81.9	78.1	71.6	81.9	79.9	80.3	64.3	84.5	80.9	74.2	79.9	63.3	85.1	84.3	81.9	88.2	68.1	85.2	82.8	72.5	68.7	76.4	84.9	76.2	77.8	84.3	72.6	74.4	64.6	76.2	80.4	75.7	88.4	78.0	76.3	84.0	89.9	75.9					
Statutory homelessness - Eligible homeless people not in priority need	2017/18	◀▶	0.8	0.4	*	0.1	0.2	*	*	0.7	0.2	*	0.8	*	0.5	2.5	*	*	0.4	*	*	0.2	0.8	*	0.4	0.3	0.4	0.1	2.5	*	*	0.2	*	0.1	0.5	2.2	*	*	0.3	0.2	*	*	0.4	*					
Violent crime - hospital admissions for violence (including sexual violence)	2016/17 -18/19	◀▶	44.9	37.2*	30.2	*	45.0	25.2	45.9	38.4	*	24.3	53.8	60.3	36.1	48.7	33.3	30.4	24.1	*	*	25.3	31.7	29.4	38.2	48.6	38.5	56.6*	22.8*	*	41.2	13.5	25.9	64.3	*	19.7	*	23.9	23.0	23.2	24.5	20.3	51.5	21.8					
Health protection																																																	
Excess winter deaths index	Aug 2018 - Jul 2019	◀▶	15.1	16.4	9.6	25.0	19.8	24.9	3.4	26.4	16.7	5.3	33.6	28.5	2.0	19.0	8.7	21.6	19.5	12.9	15.0	11.9	11.8	16.7	23.8	16.1	26.8	15.3	29.3	10.8	2.8	17.7	18.1	18.3	18.1	-5.9	9.9	-2.4	11.6	17.0	21.5	22.2	24.2	18.8					
New STI diagnoses (exc chlamydia aged <25) / 100,000	2019	◀▶	900	622	579	697	678	461	581	366	492	574	691	466	496	914	420	371	454	665	617	409	408	491	686	728	787	739	406	605	548	447	424	795	1060	498	409	432	610	393	458	401	644	396					
TB incidence (three year average)	2017 - 19	◀▶	8.6	7.3	0.3	2.9	0.9	6.3	1.3	12.0	2.1	7.5	3.5	5.6	4.0	11.4	0.5	2.8	1.8	1.7	2.8	2.5	0.7	1.5	7.6	39.7	4.0	2.8	2.6	2.7	0.3	1.7	2.3	11.4	12.5	5.8	4.0	2.5	0.6	2.1	2.1	2.5	6.3	1.8					