




Proposed Plans

Quote No:DE221322-0 Mary Sookias House
Front & Returns



Viewed from outside

Heavy Duty Aluminium Frame: PC to choice
Aluminium Modular Doorleaf: Type 4400
GRP faced, solid timber core panels
Door/panel colour: To be specified
Door opening outwards
Stainless steel continuous hinge
Draught/weather seals all round.
Glazing: 6mm polycarbonate
St.Stl.Fingerplate 300x75x16swg
Dia 19 x 225mm St.Stl. D-Handle
LCN4111 Closer c/w Cush
Securefast Magnetic locks (2 off)
Bamford Push-To-Exit Button
Electrical entry system - by others
Clear opening: 860mm

F. Bamford (Engineering) Ltd.

Ajax Works, Whitehill, Stockport, Cheshire. SK4 1NT England
Telephone 0161-480 6500 Fax 0161-480 7693 Email Sales@bamfordajax.com


Drawing No:

Q221322/1/1

Quote No:DE221322-0

Mary Sookias House

Screen



Viewed from outside

Heavy Duty Aluminium Frame: PC to choice
GRP faced, solid timber core panels
Door/panel colour: To be specified
Glazing: 6mm polycarbonate
:- Louverd panels with flymesh
(Man Team & Tower Scaffold)

F. Bamford (Engineering) Ltd.

Ajax Works, Whitehill, Stockport, Cheshire. SK4 1NT England
Telephone 0161-480 6500 Fax 0161-480 7693 Email Sales@bamfordajax.com

Drawing No:

Q221322/2/1

Existing photographs













Front elevation

Photograph illustrating similar aluminium frame system

